



## Cabinet Dimensions:

	External	Internal
Height (mm):	1110*	490
Width (mm):	1270	820
Depth (mm):	700	540
Floor Area (m²):	0.89	

\*With supplied castors fitted. See height variation below

<b>Height Variation</b>	
Supplied castors	1110
Supplied height adjustable legs	N.A.
No castors or legs	975

<b>Electrical Voltage (V):</b>	240
<b>Electrical Ampere (A):</b>	2
<b>Electrical Frequency (Hz):</b>	50

<b>MEPS TEC:</b>	2.67 kWh/24h
<b>Refrigerant:</b>	R290 / 90g

### Dimensional Tolerances

Before installing this cabinet allow for the following dimensional tolerances:

Linear Dimensions	Overall Cabinet Dimensions
Less than 1 metre	+5mm
More than 1 metre	-5mm to +10mm
Length of Multiple Cabinets	
At each joint	At each end wall
+5mm	+15mm
-5mm to +10mm	+15mm

**SKOPE**  
Industries Limited

66 Princess St. PO Box 1091  
Christchurch, New Zealand  
New Zealand Freephone: 0900 947 5673  
Australian Freephone: 1800 121 535  
Email: enquiry@skope.co.nz  
Website: www.skope.co.nz

### Model:

RF7.PPS.2.SD

### Description:

ReFlex Series, 2 Door (Solid), Small Salad Preparation Fridge

### Unless Otherwise Specified:

Folded Dimension:	Overall
Linear Tolerances:	± 0.5mm
Angular Tolerances:	± 0.5mm
Units:	Millimeters

### Scale:

1 : 20

### Revision:

Copyright © SKOPE Industries Limited